



LEVON

**SUPER**

HIGH GLOSS

*attractive force*

**600x1200mm**

GLAZED VITRIFIED TILES

GLOSSY



*attractive*

F  
O  
R  
C  
E



## **SUPER HIGH GLOSS**

Our glamour finish tiles do not reflect stylish surfaces; they run a display of class, flair and exoticism that can enchant anyone and everyone.





**LEVON**  
CERAMIC

## APPLICATOIN & SOLUTIONS



Interiors residential  
flooring and wall cladding



Cladding of interiors  
in spas and pools



Doors and stairs  
and landings



External cladding  
and ventilated facades



External wall thermal  
insulation system



Surfaces for kitchen  
counter tops and  
furniture, for table tops,  
bookshelves and wardrobes



Tunnels and large  
public projects




Cladding in the  
nautical industry



Laid over pre-existing  
material



Shower cabins and  
trays, washbasins and  
bathroom furniture





**SUPER**

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

## ARGENTINA GIALLO



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
ARGENTINA GIALLO



# SUPER

HIGH GLOSS


600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## ARGENTINA WHITE



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





, DESIGN SHOWN -  
ARGENTINA WHITE



**SUPER**

HIGH GLOSS




600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

**BLACK BEUTY**



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
BLACK BEUTY



**SUPER**

HIGH GLOSS






600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

**BLACK FIRE**



RANDOM FACES - 2



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



**SUPER**

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

**BLACK PORTORO**



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
BLACK PORTORO



# SUPER

HIGH GLOSS


600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## BLASTO COPPER



RANDOM FACES - 3



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



Grand Hyatt  
HOTEL & SPA





# SUPER

HIGH GLOSS


600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## BLUE PEARL



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
BLUE PEARL



# SUPER

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## DREAM BLACK



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
DREAM BLACK



# SUPER

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## FLURRY NERO



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
FLURRY NERO



# SUPER

HIGH GLOSS


600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## GRANITE VERDE



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



**SUPER**

HIGH GLOSS



600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

## LAURENT BLACK



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
LAURENT-BLACK



**SUPER**

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

## LEVANTO BLACK



RANDOM FACES - 3



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



# SUPER

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## LIMBER NERO



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
LIMBER NERO



# SUPER

HIGH GLOSS


600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## LINE NERO



## RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
LINE NERO



# SUPER

HIGH GLOSS



600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## LINEA BLACK



RANDOM FACES - 3



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



# SUPER


HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



## NERO STATUARIO



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean





DESIGN SHOWN -  
NERO STATUARIO



**SUPER**

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

## PLATINIUM BLACK



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance Maintenance



Zero  
Maintenance



Easy to  
Clean



# SUPER

HIGH GLOSS



600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## POTRO NERO



RANDOM FACES - 3



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean







# SUPER

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## REGAL GALAXY BLACK



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean







# SUPER

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## ROCK BLACK



RANDOM FACES - 5



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean







# SUPER


HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



## SAINT LAURENT



RANDOM FACES - 4



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



# SUPER

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## TOKYO BLACK



RANDOM FACES - 3



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



**SUPER**

HIGH GLOSS



600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

**TOKYO BLUE**



RANDOM FACES - 3



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean







**SUPER**

HIGH GLOSS



600x1200mm

GLAZED VITRIFIED TILES



**LEVON**  
CERAMIC

**TORINO BLACK**



RANDOM FACES - 3



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean







# SUPER

HIGH GLOSS

600x1200mm

GLAZED VITRIFIED TILES



LEVON  
CERAMIC

## VOGUE BLACK



RANDOM FACES - 1



Low Water  
Absorption



Frost  
Resistant



Chemical  
Resistant



Stain  
Resistance



Zero  
Maintenance



Easy to  
Clean



# TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP B1a	MOZILLA VALUE	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	SO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

## PACKING DETAILS

Size	Tiles / Box	Coverage Area / Box (approx.)	Coverage Area / Box (approx.)
600x1200	2 PIC	15.5 SQ.FT	1.44 SQ.MT



Frost Resistant



Resistant to Thermal Shock



Stain Resistant



Durable Over Time



Resistant to Deep Scratch



Suitable for Crowded Area



Slip Resistant



Resistant to Acids and Chemicals



Suitable for Vehicles



Resistant to Loads



Rectified



Environment Friendly





**LEVON**  
CERAMIC

## LEVON CERAMIC

Survey No. 539 P1, Opp. Platinum  
Ceramic, Jetpar Road, Sagar,  
Morbi, Gujrat (IND) 363642

Web. [www.levonceramic.com](http://www.levonceramic.com) E-mail. [info@levonceramic.com](mailto:info@levonceramic.com)

Tel. 02822 250950 Fax. 02822 250950

Customer Care - +91 95374 50950



**MSME**  
Micro, Small & Medium Enterprises  
Department of Industrial Policy & Promotion,  
Government of India



एक कदम स्वच्छता की ओर

follow us:   